

NMIMS – GLOBAL ACCESS SCHOOL FOR CONTINUING EDUCATION

Programme: PGDBM/PGDITM/PGDSCM

Examination: December 2015

Subject: Business Statistics

Semester: III

Course : New

Marks : 70

Date: 12.12.2015

Time: 3.00 p.m. to 6.00 p.m.

- Instructions:
- 1) Candidates should read carefully the instructions printed on the question paper and on the Cover of the answer-book which is provided for their use
  - 2) Answer to each new question to be started on a fresh page
  - 3) Figures in brackets indicate full marks
  - 4) Required Statistical Tables attached
  - 5) **Only simple, ordinary calculators to be used.** No other electronic devices, such as, cell-phones, laptops, i-pads, etc., to be used.

\*\*\*\*\*

**Q.1)** Attempt any 2 (two) out of 4 (four) **(Marks: 2x5 = 10)**

- a) Explain the important characteristics of Statistics
- b) Explain the scope of Correlation Analysis
- c) Define Probability. Hence, briefly explain Event, Equally Likely Outcomes, Mutually Exclusive Outcomes, Exhaustive Outcomes ?
- d) State any 5 (five) relevant property of a Normal Probability Curve

**Q.2)** Write short notes on: (any 2 out of 5) **(Marks = 2 x 5 = 10)**

- a) Importance of measuring variability for Managerial Decision Making
- b) Difference between Graphs and Diagrams
- c) Various types of statistical classification of tables with example for each type
- d) Drawing of Histogram with the use of Excel
- e) Spearman's Rank Correlation Coefficient

**Q.3)** Attempt any 3 (three) out of 5 (five) **(Marks: 3x10 = 30)**

- a) The following data relates to distribution of total loans/credits among various borrowers according to the rate of interest

Rate of Interest (%)	<6	6.0 – 8.0	8.0 – 10.0	10.0-12.0	>12.0
Percentage of total Credit	10.2	15.5	26.0	32.6	15.7

Calculate the Median, the Third Quartile and 30<sup>th</sup> Percentile

- b) A candidate is selected for interviews for 3 posts. For the first post, there are 3 candidates, for the second post there are 4 candidates and for the third post, there are 2 candidates. Find the probability that the candidate is selected for at least one post. Assume that all candidates have equal chance of selection. Also assume that the selection of one post is independent of selection of other posts
- c) The mean and the standard deviation of the 'lives' of tyres manufactured by two factories, manufacturing 50,000 tyres in each of the factories annually, are given below. Calculate the mean and the standard deviation of the life of all the 1,00,000 tyres produced in a year.

Factory	Mean ('000 km)	Std. Dev. ('000 km)
A	60	8
B	55	7

- d) The following data (rupees in crores) gives the expenditure on advertisement and sales of a particular firm:

	Advt. Expend.	Sales
	X	Y
Mean	10	90
Standard Dev.	3	12
Correlation Coefficient = 0.8		

Find the equations of the two lines of regression

- e) The overall percentage of defaulters of personal loans in a bank is 30. What is the probability that, out of a group of 6 borrowers, who were sanctioned loans on a particular day, at least 4 will repay the loan.

Q.4) Attempt *both* the questions

(Marks: 2x10 = 20)

Q.4a) An insurance salesman sells, on an average, 3 insurance policies per week. Calculate the probability that, in a given week, he will sell (i) some policies (ii) 2 or more policies but less than 5 policies (iii) Assuming that there are 5 working days per week, what is the probability that, in a given day, he will sell exactly one policy


Q.4b) The lifetime of a colour TV picture tube follows a normal distribution with a mean life of 8 years and a standard deviation of 2 years. (i) What is the probability that a picture tube will last more than 10 years? (ii) If the firm *guarantees* the picture tube for 4 years, what percentage of picture tubes may have to be replaced? (iii) If the firm is willing to replace the picture tubes in a maximum of 1% of the television sets sold, what guarantee period can be offered for the picture tubes?

# APPENDIX

## I. Binomial Coefficients

$n$	$\binom{n}{0}$	$\binom{n}{1}$	$\binom{n}{2}$	$\binom{n}{3}$	$\binom{n}{4}$	$\binom{n}{5}$	$\binom{n}{6}$	$\binom{n}{7}$	$\binom{n}{8}$	$\binom{n}{9}$	$\binom{n}{10}$
0	1										
1	1	1									
2	1	2	1								
3	1	3	3	1							
4	1	4	6	4	1						
5	1	5	10	10	5	1					
6	1	6	15	20	15	6	1				
7	1	7	21	35	35	21	7	1			
8	1	8	28	56	70	56	28	8	1		
9	1	9	36	84	126	126	84	36	9	1	
10	1	10	45	120	210	252	210	120	45	10	1
11	1	11	55	165	330	462	462	330	165	55	11
12	1	12	66	220	495	792	924	792	495	220	66
13	1	13	78	286	715	1287	1716	1716	1287	715	286
14	1	14	91	364	1001	2002	3003	3432	3003	2002	1001
15	1	15	105	455	1365	3003	5005	6435	6435	5005	3003
16	1	16	120	560	1820	4368	8008	11440	12870	11440	8008
17	1	17	136	680	2380	6188	12376	19448	24310	24310	19448
18	1	18	153	816	3060	8568	18564	31824	43758	48620	43758
19	1	19	171	969	3876	11628	27132	50388	75582	92378	92378
20	1	20	190	1140	4845	15504	38760	77520	125970	167960	1184759

II. Ordinates of Normal Curve



z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	.3989	.3989	.3989	.3988	.3986	.3984	.3982	.3980	.3977	.3973
0.1	.3970	.3965	.3961	.3956	.3951	.3945	.3939	.3932	.3925	.3918
0.2	.3910	.3902	.3894	.3885	.3876	.3867	.3857	.3847	.3836	.3825
0.3	.3814	.3802	.3790	.3778	.3765	.3752	.3739	.3725	.3712	.3697
0.4	.3683	.3668	.3653	.3637	.3621	.3605	.3589	.3572	.3555	.3538
0.5	.3521	.3503	.3485	.3467	.3448	.3429	.3410	.3391	.3372	.3352
0.6	.3332	.3312	.3292	.3271	.3251	.3230	.3209	.3187	.3166	.3144
0.7	.3123	.3101	.3079	.3056	.3034	.3011	.2989	.2966	.2943	.2920
0.8	.2897	.2874	.2850	.2827	.2802	.2780	.2756	.2732	.2709	.2685
0.9	.2661	.2637	.2613	.2589	.2565	.2541	.2516	.2492	.2468	.2444
1.0	.2420	.2396	.2371	.2347	.2323	.2299	.2275	.2251	.2227	.2203
1.1	.2179	.2155	.2131	.2107	.2083	.2059	.2036	.2012	.1989	.1965
1.2	.1942	.1919	.1895	.1872	.1849	.1826	.1804	.1781	.1758	.1736
1.3	.1714	.1691	.1669	.1647	.1626	.1604	.1582	.1561	.1539	.1518
1.4	.1497	.1476	.1456	.1435	.1415	.1394	.1374	.1354	.1334	.1315
1.5	.1295	.1276	.1257	.1238	.1219	.1200	.1182	.1163	.1145	.1127
1.6	.1109	.1092	.1074	.1057	.1040	.1023	.1006	.0989	.0973	.0957
1.7	.0940	.0925	.0909	.0893	.0878	.0863	.0848	.0833	.0818	.0804
1.8	.0790	.0775	.0761	.0748	.0734	.0721	.0707	.0694	.0681	.0669
1.9	.0656	.0644	.0632	.0620	.0608	.0596	.0584	.0573	.0562	.0551
2.0	.0540	.0529	.0519	.0508	.0498	.0488	.0478	.0468	.0459	.0449
2.1	.0440	.0431	.0422	.0413	.0404	.0396	.0387	.0379	.0371	.0363
2.2	.0355	.0347	.0339	.0332	.0325	.0317	.0310	.0303	.0297	.0290
2.3	.0283	.0277	.0270	.0264	.0258	.0252	.0246	.0241	.0235	.0229
2.4	.0224	.0219	.0213	.0208	.0203	.0198	.0194	.0189	.0184	.0180
2.5	.0175	.0171	.0167	.0163	.0158	.0154	.0151	.0147	.0143	.0139
2.6	.0136	.0132	.0129	.0126	.0122	.0119	.0116	.0113	.0110	.0107
2.7	.0104	.0101	.0099	.0096	.0093	.0091	.0088	.0086	.0084	.0081
2.8	.0079	.0077	.0075	.0073	.0071	.0069	.0067	.0065	.0063	.0061
2.9	.0060	.0058	.0056	.0055	.0053	.0051	.0050	.0048	.0047	.0046
3.0	.0044	.0043	.0042	.0040	.0039	.0038	.0037	.0036	.0035	.0034
3.1	.0033	.0032	.0031	.0030	.0029	.0028	.0027	.0026	.0025	.0025
3.2	.0024	.0023	.0022	.0022	.0021	.0020	.0020	.0019	.0018	.0018
3.3	.0017	.0017	.0016	.0016	.0015	.0015	.0014	.0014	.0013	.0013
3.4	.0012	.0012	.0012	.0011	.0011	.0010	.0010	.0010	.0009	.0009
3.5	.0009	.0008	.0008	.0008	.0008	.0007	.0007	.0007	.0007	.0006
3.6	.0006	.0006	.0006	.0005	.0005	.0005	.0005	.0005	.0005	.0004
3.7	.0004	.0004	.0004	.0004	.0004	.0004	.0003	.0003	.0003	.0003
3.8	.0003	.0003	.0003	.0003	.0003	.0002	.0002	.0002	.0002	.0002
3.9	.0002	.0002	.0002	.0002	.0002	.0002	.0002	.0002	.0001	.0001

III. Areas under the Normal Curve




Table of Area

$z \rightarrow$	0	1	2	3	4	5	6	7	8	9
.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239	.0279	.0319	.0359
.1	.0398	.0438	.0478	.0517	.0557	.0596	.0636	.0675	.0714	.0753
.2	.0793	.0832	.0871	.0910	.0948	.0987	.1026	.1064	.1103	.1141
.3	.1179	.1217	.1255	.1293	.1331	.1368	.1406	.1443	.1480	.1517
.4	.1554	.1591	.1628	.1664	.1700	.1736	.1772	.1808	.1844	.1879
.5	.1915	.1950	.1985	.2019	.2054	.2088	.2123	.2157	.2190	.2223
.6	.2257	.2291	.2324	.2357	.2389	.2422	.2454	.2486	.2518	.2549
.7	.2580	.2612	.2642	.2673	.2703	.2734	.2764	.2794	.2823	.2852
.8	.2881	.2910	.2939	.2967	.2995	.3023	.3051	.3078	.3106	.3133
.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	.3340	.3365	.3389
1.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599	.3621
1.1	.3643	.3665	.3686	.3708	.3729	.3749	.3770	.3790	.3810	.3830
1.2	.3849	.3869	.3888	.3907	.3925	.3944	.3962	.3980	.3997	.4015
1.3	.4032	.4049	.4066	.4082	.4099	.4115	.4131	.4147	.4162	.4177
1.4	.4192	.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306	.4319
1.5	.4332	.4345	.4357	.4370	.4382	.4394	.4406	.4418	.4429	.4441
1.6	.4452	.4463	.4474	.4484	.4495	.4505	.4515	.4525	.4535	.4545
1.7	.4554	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625	.4633
1.8	.4641	.4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699	.4706
1.9	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761	.4767
2.0	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812	.4817
2.1	.4821	.4826	.4830	.4834	.4838	.4842	.4846	.4850	.4854	.4857
2.2	.4861	.4864	.4868	.4871	.4875	.4878	.4881	.4884	.4887	.4890
2.3	.4893	.4896	.4898	.4901	.4904	.4906	.4909	.4911	.4913	.4916
2.4	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.4936
2.5	.4938	.4940	.4941	.4943	.4945	.4946	.4948	.4849	.4951	.4952
2.6	.4953	.4955	.4956	.4957	.4959	.4960	.4961	.4962	.4963	.4964
2.7	.4965	.4965	.4967	.4968	.4969	.4970	.4971	.4972	.4973	.4974
2.8	.4974	.4975	.4976	.4977	.4977	.4978	.4979	.4979	.4980	.4981
2.9	.4981	.4982	.4982	.4983	.4984	.4984	.4985	.4985	.4986	.4986
3.0	.4987	.4987	.4987	.4988	.4988	.4989	.4989	.4989	.4990	.4990
3.1	.4990	.4991	.4991	.4991	.4992	.4992	.4992	.4992	.4993	.4993
3.2	.4993	.4993	.4994	.4994	.4994	.4994	.4994	.4995	.4995	.4995
3.3	.4995	.4995	.4995	.4996	.4996	.4996	.4996	.4996	.4996	.4997
3.4	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4947	.4997	.4998
3.5	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4898	.4898
3.6	.4998	.4998	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999
3.7	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999
3.8	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999
3.9	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000

TABLE OF VALUES OF  $e^{-m}$

m	$e^{-m}$	m	$e^{-m}$	m	$e^{-m}$
0.1	0.90484	1.1	0.33287	2.5	0.08208
0.2	0.81873	1.2	0.30119	3.0	0.04979
0.3	0.74082	1.3	0.27253	3.5	0.03020
0.4	0.67032	1.4	0.24660	4.0	0.01832
0.5	0.60653	1.5	0.22313	5.0	0.00674
0.6	0.54881	1.6	0.20190	6.0	0.00248
0.7	0.49659	1.7	0.18268	7.0	0.00091
0.8	0.44932	1.8	0.16530	8.0	0.00034
0.9	0.40657	1.9	0.14957	9.0	0.00012
1.0	0.36788	2.0	0.13534	10.0	0.000045